## **ALPHABETICAL INDEX TO VOLUME 39**

	Issue No.	Page No.		Issue No.		ge lo.
The algal growth test for monitoring pulp and			Effluents, The algal growth test for monitoring	140.		
paper mill effluents	1	21	pulp and paper mill	1		21
Appita — The first 40 years	5	347	Elemental sulphur in kraft pulping, Effect of	V -		
The application of computer aided design and drafting to the engineering of pulp and paper			replacement of sodium sulphide by Engineering of pulp and paper mills, The applica-	5	3	387
mills. Asian region, Production patterns for pulp and	4	297	tion of computer aided design and drafting to	4	2	297
paper in the Aspects of on-site generation of chemical pulp	3		The engineering of the Barwon paper mill at Fyansford	2		87
bleaching chemicals	5		Environmental constraints on the availability and production of wood for industry in New			
in New Zealand, Environmental constraints on	3		Zealand	3	1	184
Bark from pine pin chips, The segregation of Barwon paper mill at Fyansford, The engineering	2		Ethanol-water pulping and pulp properties of Eucalyptus globulus Lab, Kinetics of	6	. 4	455
Of	2	87	Eucalyptus globulus Lab, Kinetics of ethanol-			455
Bleaching stages of NZFP No. 2 bleach plant, Colour control of the first chlorination (D/C) and			water pulping and pulp properties of  Eucalyptus obliqua L'Herit, Genetic variation in			455
extraction (E1)	3		the pulp qualities of	3	3	205
The business of forestry	6		Eucalyptus regnans, E. diversicolor, E. marginata and E. tetrodonta wood samples, Chemical			
Cement products, High yield wood pulps as rein-	-	211	analyses and oxidative studies of	5		361
forcement for	1	31	Eucalyptus regnans, E. diversicolor, E. marginata			
Changing world, Professional societies in a	5	349	and E. letrodonta woods, A study of the			
Characteristics of fibres and fines. Chemi-			delignification of	5	5 3	369
mechanical and thermomechanical pulps of radiata pine slabwood and corewood. Part 2:	5	379	Eucalyptus regnans wood, Delignification of, during soda pulping	2	, .	110
Chemical analyses and oxidative studies of	-	313	Extended delignification in a batch cooking			110
Eucalyptus regnans, E. diversicolor, E.			system - report from start-up at Karlsborgs			
marginata and E. tetrodonta wood samples	5	361	Bruk, Sweden	. 6	3	459
Chemical aspects of pitch deposits in kraft pulp-		201	Extractives and pitch, Determination of, by			207
ing of hardwoods in Japanese mills	-	301	chromic acid oxidation	-		287 467
of on-site generation of		391				401
Chemical pulping and bleaching, Recent develop-			Fibres and fines, Characteristics of. Chemi- mechanical and thermomechanical pulps of			
ments in	-4	310	radiata pine slabwood and corewood. Part 2:	5	5 ;	379
Chemimechanical and thermomechanical pulps of radiata pine slabwood and corewood. Part 1:			Finnish pulp and paper engineers, The further education of	6		430
Pulp properties		374	Fire-damaged logs, Water spray storage of	1	, ,	8
Chemimechanical and thermomechanical pulps of			Fire-killed P. radiata for treated roundwood			
radiata pine slabwood and corewood. Part 2			posts, Harvesting and processing of Fluorescence and Kubelka-Munk theory	3		199
Characteristics of fibres and fines		379	Fluorescence and Kubelka-Munk theory	- 4	4	293
Chromic acid oxidation, Determination of extract ives and pitch by		4 287	Forestry, The business of	. 6	9	433
Coated paper, Overcoming the vessel picking		201	engineers		6	430
tendency of	1	1 26	Genetic variation in the pulp qualities of Eucalyp-			
Colour control of the first chlorination (D/C) and			tus obliqua L'Hérit	3	3	205
extraction (E1) bleaching stages of NZFP No. 2		3 218	Grammage uniformity, The role of headbox tur- bulence generators in			36
bleach plant		210	Hardwoods in Japanese mills, Chemical aspects		•	30
some		4 307	of pitch deposits in kraft pulping of		4	301
Comparison of some colour measuring equipment	1	4 307	Harvesting and processing of fire-killed P. radiata	1		400
Composites containing wood pulp fibres Computer aided design and drafting, The applica		3 223	for treated roundwood posts		3	199
tion of, to the engineering of pulp and paper			uniformity, The role of		1	36
mills	. 4	4 297	High yield wood pulps as reinforcement for	r		
Condensed tannins (proanthocyanidin polymers) Some recent advances in the chemistry of			How the New Zealand Clean Air Act relates to		1	31
relevant to their use as industrial chemicals	. (	6 477	kraft pulp mills		3	187
Conference, 40th — opening address Continuous digester washing models and predic		4 272	Hydraulically transporting wood chips and tree logs, A new method of		3	213
tion of washing efficiencies		1 41	Industrial chemicals, Some recent advances in	1	3	213
Continuous retention measurement on pape		6 463	the chemistry of condensed tannins (proantho-		_	
machine wire sections		0 403	cyanidin polymers) relevant to their use as Industry in New Zealand, Environmental con-		0	477
industry. Part 1 — Monitoring methods		6 472	straints on the availability and production of			
C.R.C. kraft pulp mill in Northern Philippines	,		wood for	. :		184
Program to improve the viability of the		2 84	Instruments, Digital conversion of paper testing	1	1	48
Delignification of Eucalyptus regnans wood during soda pulping		2 110	Japanese mills, Chemical aspects of pitch deposits in kraft pulping of hardwoods in	•	4	301
Determination of extractives and pitch by chromic			Kinetics of ethanol-water pulping and pulp proper		•	301
acid oxidation		4 287	ties of Eucalyptus globulus Lab	. 1	6	455
Digital conversion of paper testing instruments.  Effect of replacement of sodium sulphide by		1 48	Kraft pulp, Medium consistency oxygen delignifi	-		
elemental sulphur in kraft pulping		5 387	cation in an O(CD)(EO)D bleaching process for radiata pine		6	451

## **ALPHABETICAL INDEX TO VOLUME 39**

	Issue No.	Page No.		Issue No.		ge lo.
The algal growth test for monitoring pulp and			Effluents, The algal growth test for monitoring	140.		
paper mill effluents	1	21	pulp and paper mill	1		21
Appita — The first 40 years	5	347	Elemental sulphur in kraft pulping, Effect of	V -		
The application of computer aided design and drafting to the engineering of pulp and paper			replacement of sodium sulphide by Engineering of pulp and paper mills, The applica-	5	3	387
mills. Asian region, Production patterns for pulp and	4	297	tion of computer aided design and drafting to	4	2	297
paper in the Aspects of on-site generation of chemical pulp	3		The engineering of the Barwon paper mill at Fyansford	2		87
bleaching chemicals	5	-	Environmental constraints on the availability and production of wood for industry in New			
in New Zealand, Environmental constraints on	3		Zealand	3	1	184
Bark from pine pin chips, The segregation of Barwon paper mill at Fyansford, The engineering	2		Ethanol-water pulping and pulp properties of Eucalyptus globulus Lab, Kinetics of	6	. 4	455
Of	2	87	Eucalyptus globulus Lab, Kinetics of ethanol-			455
Bleaching stages of NZFP No. 2 bleach plant, Colour control of the first chlorination (D/C) and			water pulping and pulp properties of  Eucalyptus obliqua L'Herit, Genetic variation in			455
extraction (E1)	3		the pulp qualities of	3	3	205
The business of forestry	6		Eucalyptus regnans, E. diversicolor, E. marginata and E. tetrodonta wood samples, Chemical			
Cement products, High yield wood pulps as rein-	-	211	analyses and oxidative studies of	5		361
forcement for	1	31	Eucalyptus regnans, E. diversicolor, E. marginata			
Changing world, Professional societies in a	5	349	and E. letrodonta woods, A study of the			
Characteristics of fibres and fines. Chemi-			delignification of	5	5 3	369
mechanical and thermomechanical pulps of radiata pine slabwood and corewood. Part 2:	5	379	Eucalyptus regnans wood, Delignification of, during soda pulping	2	, .	110
Chemical analyses and oxidative studies of	-	313	Extended delignification in a batch cooking			110
Eucalyptus regnans, E. diversicolor, E.			system - report from start-up at Karlsborgs			
marginata and E. tetrodonta wood samples	5	361	Bruk, Sweden	. 6	3	459
Chemical aspects of pitch deposits in kraft pulp-		201	Extractives and pitch, Determination of, by			207
ing of hardwoods in Japanese mills	-	301	chromic acid oxidation	-		287 467
of on-site generation of		391				401
Chemical pulping and bleaching, Recent develop-			Fibres and fines, Characteristics of. Chemi- mechanical and thermomechanical pulps of			
ments in	-4	310	radiata pine slabwood and corewood. Part 2:	5	5 ;	379
Chemimechanical and thermomechanical pulps of radiata pine slabwood and corewood. Part 1:			Finnish pulp and paper engineers, The further education of	6		430
Pulp properties		374	Fire-damaged logs, Water spray storage of	1	, ,	8
Chemimechanical and thermomechanical pulps of			Fire-killed P. radiata for treated roundwood			
radiata pine slabwood and corewood. Part 2			posts, Harvesting and processing of Fluorescence and Kubelka-Munk theory	3		199
Characteristics of fibres and fines		379	Fluorescence and Kubelka-Munk theory	- 4	4	293
Chromic acid oxidation, Determination of extract ives and pitch by		4 287	Forestry, The business of	. 6	9	433
Coated paper, Overcoming the vessel picking		201	engineers		6	430
tendency of	1	1 26	Genetic variation in the pulp qualities of Eucalyp-			
Colour control of the first chlorination (D/C) and			tus obliqua L'Hérit	3	3	205
extraction (E1) bleaching stages of NZFP No. 2		3 218	Grammage uniformity, The role of headbox tur- bulence generators in			36
bleach plant		210	Hardwoods in Japanese mills, Chemical aspects		•	30
some		4 307	of pitch deposits in kraft pulping of		4	301
Comparison of some colour measuring equipment	1	4 307	Harvesting and processing of fire-killed P. radiata	1		400
Composites containing wood pulp fibres Computer aided design and drafting, The applica		3 223	for treated roundwood posts		3	199
tion of, to the engineering of pulp and paper	_		uniformity, The role of		1	36
mills	. 4	4 297	High yield wood pulps as reinforcement for	r		
Condensed tannins (proanthocyanidin polymers) Some recent advances in the chemistry of			How the New Zealand Clean Air Act relates to		1	31
relevant to their use as industrial chemicals	. (	6 477	kraft pulp mills		3	187
Conference, 40th — opening address Continuous digester washing models and predic		4 272	Hydraulically transporting wood chips and tree logs, A new method of		3	213
tion of washing efficiencies		1 41	Industrial chemicals, Some recent advances in	1	3	213
Continuous retention measurement on pape		6 463	the chemistry of condensed tannins (proantho-		_	
machine wire sections		0 403	cyanidin polymers) relevant to their use as Industry in New Zealand, Environmental con-		0	477
industry. Part 1 — Monitoring methods		6 472	straints on the availability and production of			
C.R.C. kraft pulp mill in Northern Philippines	,		wood for	. :		184
Program to improve the viability of the		2 84	Instruments, Digital conversion of paper testing	1	1	48
Delignification of Eucalyptus regnans wood during soda pulping		2 110	Japanese mills, Chemical aspects of pitch deposits in kraft pulping of hardwoods in	•	4	301
Determination of extractives and pitch by chromic			Kinetics of ethanol-water pulping and pulp proper		•	301
acid oxidation		4 287	ties of Eucalyptus globulus Lab	. 1	6	455
Digital conversion of paper testing instruments.  Effect of replacement of sodium sulphide by		1 48	Kraft pulp, Medium consistency oxygen delignifi	-		
elemental sulphur in kraft pulping		5 387	cation in an O(CD)(EO)D bleaching process for radiata pine		6	451

		Page No.		Issue No.	
Kraft pulp mill in Northern Philippines, Program to improve the viability of the C.R.C.			Pulp properties of Eucalyptus globulus Lab, Kinetics of ethanol-water pulping and	6	455
Kraft pulp mills, How the New Zealand Clean Air			Pulp qualities of Eucalyptus obliqua L'Herit, Genetic variation in the	3	205
Act relates to Kraft pulping, Effect of replacement of sodium			Pulping, followed by oxygen delignification, Low	2	
sulphide by elemental sulphur in			Rappa Pulpwood resource, Use of myrtle beech (Notho-		
Chemical aspects of pitch deposits in	4	301 293	fagus cunninghamil) as a	5	230 352
Low Kappa pulping followed by oxygen delignification	2	129	rejects from	2	121
Medium consistency oxygen delignification in an O(CD)(EO)D bleaching process for radiata pine		454	Radiata pine kraft pulp, Medium consistency oxgyen delignification in an O(CD)(EO)D bleach- ing process for		451
Monitoring pulp and paper mill effluents, The			Radiata pine pulp, Oxygen-alkali treatment and		
algal growth test for	1	21	short sequence bleaching of		445
pulpwood resource, Use of  Neutral-sulphite anthraquinone pulp fibres, Some		230	mechanical and thermomechanical pulps of Part 1: Pulp properties	- 5	374
unique properties of	1	134	Radiata pine slabwood and corewood, Chemi- mechanical and thermomechanical pulps of.		
chips and tree logs		3 213	Part 2: Characteristics of fibres and fines Recent developments in chemical pulping and bleaching	5	379
New Zealand Clean Air Act, How the, relates to	. :	184	Reinforcement for cement products, High yield wood pulps as	1	31
kraft pulp mills	. :	187	Replacement of sodium sulphide by elemental sulphur in kraft pulping, Effect of		387
ing chemicals, Aspects of	. !	391	Retention measurement on paper machine wire sections, Continuous	6	
Overcoming the vessel picking tendency o coated paper		1 26	RMP rejects from radiata pine, Sulphonation of SGW and		
Oxidative studies of Eucalyptus regnans E. diversicolor, E. marginata and E. tetrodonto	9		The role of headbox turbulence generators in grammage uniformity	1	36
wood samples, Chemical analyses and Oxygen delignification, Low Kappa pulping	9	5 361	The segregation of bark from pine pin chips SGW and RMP rejects from radiata pine, Sulphon		
followed by	-	2 129	Short sequence bleaching of radiata pine pulp	, 2	
ing process for radiata pine kraft pulp, Medium consistency	. 1	6 451	Oxygen-alkali treatment and		445
Oxygen-alkali treatment and short sequence bleaching of radiata pine pulp		6 445	regnans wood during Soda-anthraquinche pulping Part II, Studies on. A		110
Paper from Pinus radiata — the first 30 years Paper machine wire sections, Continuous reter	-	6 436 6 463	comparison of kraft, kraft-AQ and soda-AQ ethanol pulps from <i>Pinus radiata</i> wood	. 4	289
tion measurement on		4 275	densed tannins (proanthocyanidin polymers relevant to their use as industrial chemicals	)	477
Papua New Guinea, Prospects for pulpwood from Pine, Profiting from		5 352 4 273	Some unique properties of neutral-sulphite		2 134
Pine pin chips, The segregation of bark from Pinus radiata, Paper from — the first 30 years Pitch, Determination of extractives and, b		2 115 6 436	anthraquinone pulp fibres		104
chromic acid oxidation  Pitch deposits in kraft pulping of hardwoods i	n	4 287	enthanol pulps from <i>Pinus radiata</i> wood  A study of the delignification of <i>Eucalyptus regnans</i> , E. diversicolor, E. marginata and E. tetro	. 4	289
Japanese mills, Chemical aspects of  Prediction of washing efficiencies, Continuou	S	4 301	donta woods		369
Press felts, On-machine seamed		1 41 6 467	radiata pine	. 2	121
Asian region Professional societies in a changing world		3 181 5 349	wood and corewood, Chemimechanical and Part 1: Pulp properties		5 374
Profiting from pine		4 273	Thermomechanical pulps of radiata pine slab wood and corewood, Chemimechanical and		, 0,4
kraft pulp mill in Northern Philippines		2 84 5 352	Part 2: Characteristics of fibres and fines		379
Prospects for pulpwood from Papua New Guinea Pulp and paper in the Asian region, Productio	n		method of hydraulically	. :	213
patterns for	g	3 181	as a pulpwood resource	. :	3 230
in the. Part 1 — Monitoring methods Pulp and paper mill effluents, The algal growt	h	6 472	coming the		1 26
test for monitoring	er	1 21	Water spray storage of fire-damaged logs		1 41
of Pulp properties. Chemimechanical and thermo		4 297	hydraulically transporting	. :	3 213
mechanical pulps of radiata pine slabwoo and corewood. Part 2:		5 374	Wood pulp fibres, Composites containing		3 223